



Laser distance meter, Type: GLM40



Order data

Order number	465560 GLM40
GTIN	3165140790406
Item class	46T

Description

Version:

Laser distance measurement device with robust, shock-resistant casing, splash-proof and dust-proof (IP 54). Illuminated three-row display for optimum legibility. Laser class 2 to IEC 825-1.

Standard:

Laser distance measurement device with robust, shock-resistant casing, splash-proof and dust-proof (IP 54). Illuminated three-row display for optimum legibility. Laser class 2 to IEC 825-1. Stand socket thread 1/4 inch. The integral 360° inclination sensor shows the inclination of an object when the casing is placed directly on it, thus permitting indirect height measurement. Create a digital floor plan, import existing floor plans, edit them and export the result together with simple building site dimensioning. Data transfer via Bluetooth®.

Function:

IP54: Protected against splashed water from all directions and protected against penetration of dust into the inside (protected against dust), also completely protected against touching.

Supplied with:

Includes protective case. With batteries 081551 LR3.

Optional extras:

Measuring stand No. 468558.

IP Index of Protection: IP 54

Measuring accuracy: ± 1.5 mm

Article no of the battery / rechargeable battery fitted: 081551 LR3

Range: 40 m
 Addition/subtraction: yes
 Surface and volume calculations: yes
 indirect measurements (Pythagoras): yes

Technical description

Power supply	081551 LR3
indirect measurements (Pythagoras)	yes
Addition/subtraction	yes
Battery life (measurements)	5000
Surface and volume calculations	yes
Height	24 mm
Width	41 mm
Recall last measurements	yes
Range	40 m
IP Index of Protection	IP 54
Measuring accuracy	±1.5 mm
Length	105 mm
Weight	100 g
Number of batteries contained	2
Article no of the battery / rechargeable battery fitted	081551 LR3
Power supply	Battery-powered
Laser class to IEC 825–1	2
Type of product	Workshop straight edge with graduations on both sides

Accessories

Alkaline-manganese batteries International size LR3	081556 LR3
Photography tripod	468558

Alkaline-manganese batteries International size LR3

081561 LR3