Lucks Burr, coated Z 4 – fine, diamond cut, Carbide TiAlN, Type: A1225



Order data

| Order number | 540560 A1225 |
|--------------|---------------|
| GTIN | 4027497454945 |
| Item class | 56L |

Description

Version:

Shank Ø 6 mm.

LUKAS burrs are manufactured from high performance carbide grades with high wear resistance and maximum cutting edge stability, using only the latest CNC machines. Steel shanks are used when the head diameter is larger than the shank diameter, otherwise they are made from solid carbide.

Additional TiAIN coating for longer working life and temperature resistance.

For high thermal and mechanical loadings (Heavy Duty). **Cylindrical shape**(ZYA), **without end cut.**

Application:

Suitable for use with power tools and industrial robots, on almost all materials. For deburring, edge breaking, cleaning, weld and surface preparation.

Shank Ø: 6 mm Shape description: Cylindrical without end cut Head Ø: 12 mm Head length L_1 : 25 mm Overall length: 65 mm Shank Ø: 6 mm

Technical description

| Tooth type abbreviation | Z4 |
|---------------------------|-----------------------------|
| Shape description | Cylindrical without end cut |
| Toothing grit designation | fine |
| Type of cut | staggered teeth |

| Overall length | 65 mm |
|----------------------------|---------------|
| Head Ø | 12 mm |
| Shape | A1225 |
| Head length L ₁ | 25 mm |
| Shank Ø | 6 mm |
| Tool material | Carbide TiAIN |
| Coating | TiAIN |
| Type of product | Burr |