



## Burr, coated Z 4 – fine, diamond cut, Carbide TiAlN, Type: A1625



### Order data

Order number	540560 A1625
GTIN	4027497278961
Item class	56L

### Description

#### Version:

Shank Ø 6 mm.

LUKAS burrs are manufactured from high performance carbide grades with high wear resistance and maximum cutting edge stability, using only the latest CNC machines. Steel shanks are used when the head diameter is larger than the shank diameter, otherwise they are made from solid carbide.

Additional TiAlN coating for longer working life and temperature resistance.

For high thermal and mechanical loadings (Heavy Duty). **Cylindrical shape (ZYA), without end cut.**

#### Application:

Suitable for use with power tools and industrial robots, on almost all materials. For deburring, edge breaking, cleaning, weld and surface preparation.

Shank Ø: 6 mm

Shape description: Cylindrical without end cut

Head Ø: 16 mm

Head length L<sub>1</sub>: 25 mm

Overall length: 65 mm

Shank Ø: 6 mm

### Technical description

Toothing grit designation	fine
Overall length	65 mm
Head Ø	16 mm
Shape description	Cylindrical without end cut

Shape	A1625
Head length L <sub>1</sub>	25 mm
Type of cut	staggered teeth
Tooth type abbreviation	Z4
Shank Ø	6 mm
Tool material	Carbide TiAlN
Coating	TiAlN
Type of product	Burr