



## Burr, coated Z 4 – fine, diamond cut, Carbide TiAlN, Type: AS0616



### Order data

Order number	540560 AS0616
GTIN	4027497278923
Item class	56L

### Description

#### Version:

Shank Ø 6 mm.

LUKAS burrs are manufactured from high performance carbide grades with high wear resistance and maximum cutting edge stability, using only the latest CNC machines. Steel shanks are used when the head diameter is larger than the shank diameter, otherwise they are made from solid carbide.

Additional TiAlN coating for longer working life and temperature resistance.

For high thermal and mechanical loadings (Heavy Duty). **Cylindrical shape(ZYAS), with end cut.**

#### Application:

Suitable for use with power tools and industrial robots, on almost all materials. For deburring, edge breaking, cleaning, weld and surface preparation.

Shank Ø: 6 mm

Shape description: Cylindrical with end cut

Head Ø: 6 mm

Head length L<sub>1</sub>: 16 mm

Overall length: 50 mm

Shank Ø: 6 mm

### Technical description

Type of cut	staggered teeth
Shape description	Cylindrical with end cut
Shape	AS0616
Tooth type abbreviation	Z4
Toothing grit designation	fine

Head length L <sub>1</sub>	16 mm
Overall length	50 mm
Head Ø	6 mm
Shank Ø	6 mm
Tool material	Carbide TiAlN
Coating	TiAlN
Type of product	Burr