



Burr, coated Z 4 – fine, diamond cut, Carbide TiAlN, Type: AS1225



Order data

Order number	540560 AS1225
GTIN	4027497278954
Item class	56L

Description

Version:

Shank Ø 6 mm.

LUKAS burrs are manufactured from high performance carbide grades with high wear resistance and maximum cutting edge stability, using only the latest CNC machines. Steel shanks are used when the head diameter is larger than the shank diameter, otherwise they are made from solid carbide.

Additional TiAlN coating for longer working life and temperature resistance.

For high thermal and mechanical loadings (Heavy Duty). **Cylindrical shape(ZYAS), with end cut.**

Application:

Suitable for use with power tools and industrial robots, on almost all materials. For deburring, edge breaking, cleaning, weld and surface preparation.

Shank Ø: 6 mm

Shape description: Cylindrical with end cut

Head Ø: 12 mm

Head length L_1 : 25 mm

Overall length: 65 mm

Shank Ø: 6 mm

Technical description

Head Ø	12 mm
Shape description	Cylindrical with end cut
Tooth type abbreviation	Z4
Type of cut	staggered teeth
Toothing grit designation	fine

Shape	AS1225
Head length L ₁	25 mm
Overall length	65 mm
Shank Ø	6 mm
Tool material	Carbide TiAlN
Coating	TiAlN
Type of product	Burr