



## Burr, coated Z 4 – fine, diamond cut, Carbide TiAlN, Type: C1625



### Order data

Order number	540560 C1625
GTIN	4027497279012
Item class	56L

### Description

#### Version:

Shank Ø 6 mm.

LUKAS burrs are manufactured from high performance carbide grades with high wear resistance and maximum cutting edge stability, using only the latest CNC machines. Steel shanks are used when the head diameter is larger than the shank diameter, otherwise they are made from solid carbide.

Additional TiAlN coating for longer working life and temperature resistance.

For high thermal and mechanical loadings (Heavy Duty). **Cylindrical ball nose shape** (WRC)

#### Application:

Suitable for use with power tools and industrial robots, on almost all materials. For deburring, edge breaking, cleaning, weld and surface preparation.

Shank Ø: 6 mm

Shape description: ball nose

Head Ø: 16 mm

Head length L<sub>1</sub>: 25 mm

Overall length: 65 mm

Shank Ø: 6 mm

### Technical description

Shape description	ball nose
Type of cut	staggered teeth
Toothing grit designation	fine
Head length L <sub>1</sub>	25 mm
Head Ø	16 mm

Overall length	65 mm
Tooth type abbreviation	Z4
Shape	C1625
Shank Ø	6 mm
Tool material	Carbide TiAlN
Coating	TiAlN
Type of product	Burr