3M Roloc™

Fleece disc GB-DR, Ø 50.8 mm, Grit equivalent: 80



Order data

Order number	554062 80
GTIN	2050001748249
Item class	53M

Description

Version:

The Roloc[™], Combidisc CDR **quick-change system** with a plastic thread permits safe abrasive tool changing "with a single twist of the wrist" in a very short time.

Fleece disc with aggressive Cubitron grit (CER) in combination with wear-resistant fabric.

Application:

For efficient abrasion of small areas, even with changing contours. Reduced tool changing times save costs on multi-stage operations.

Allows **material removal** and **burr-free finishing** with only a single tool. High edge stability and long working life. Ideal for improving surface finish smoothness after pre-grinding with Cubitron $^{\text{m}}$ II.

Note:

Roloc™ bristle discs can be found from No. 573510 onwards.

Iron, sulphur and chlorine constituents: < 0.1 %

maximum speed: 23000 rpm Grit designation: very coarse Version: coarse heavy duty

Technical description

Grit designation	very coarse
Grit equivalent	80



Version	coarse heavy duty
Disc Ø	50.8 mm
Grinding media	Cubitron™ grinding grit
Grinding medium code	Ceramic
Iron, sulphur and chlorine constituents	< 0.1 %
Product name attribute	Ø 50.8 mm
Manufacturer's designation	GB-DR
maximum speed	23000 rpm
Type of product	Non-woven abrasive

Accessories

Rubber backing pad shank Ø 6 mm medium External Ø 50 mm	554092 50
Rubber backing pad shank Ø 6 mm medium hard External Ø 50 mm	554093 50
Rubber backing pad shank Ø 6 mm soft External Ø 50 mm	554091 50
Plastic backing pad shank Ø 6 mm External Ø 50 mm	554090 50
Rubber backing pad shank Ø 6 mm hard External Ø 50 mm	554089 50