



## Abrasive flap disc for aluminium, POLIFAN-CURVE (A), Disc Ø×Width: 115X16 mm



### Order data

Order number	566327 115X16
GTIN	4007220851968
Item class	55P

### Description

#### Version:

Flap disc for highly demanding grinding of fillet welds. The **radial design with special arrangement of the segments** enables optimum application of the abrasive material on the radius. High metal removal rate, service life, and shape stability.

**SGP CURVE-ALU (A)** in 40 grit for aluminium and non-ferrous metals, without clogging and undesirable residues.

#### Application:

**Precise grinding out of weld fillet geometries**, chamfering, deburring. Wide version (L) for fillet welds > 8 mm.

maximum circumferential speed: 80 m/s

Shape description: radial

Bore Ø: 22.23 mm

Width at radius: 14 mm

for weld fillet radii: > 8 mm

### Technical description

Width at radius	14 mm
-----------------	-------

Shape description	radial
Disc thickness	16 mm
for weld fillet radii	> 8 mm
Grit	40
Bore Ø	22.23 mm
Disc Ø	115 mm
Grinding medium code	A
Iron, sulphur and chlorine constituents	< 0.1 %
optimised for material	Aluminium
optimised for material	Non-ferrous metals
maximum circumferential speed	80 m/s
Type of product	Abrasive flap disc