


## Velour-backed abrasive disc Cubitron™II 947A, Ø 125 mm, Grit: 120



## **Order data**

Order number	567521 120
GTIN	30076308457069
Item class	53M

## **Description**

#### **Version:**

The back of the disc is covered with velour loops which are self-attaching to hook and loop fastener backing pads, e.g. No. 567760 . For quick disc changing.

Hook and loop abrasive discs with precisely formed **Cubitron™II** ceramic grit (self-sharpening) and strong X-fabric. **Very high metal removal rate** and **long working life.** 

#### **Standard:**

Hook and loop abrasive discs with precisely formed **Cubitron™II** ceramic grit (self-sharpening) and strong X-fabric. **Very high metal removal rate** and **long working life.** 

#### **Application:**

On **angle grinders** / eccentric grinders with hook and loop fastener pads (dust removal not available). Maximum working speed **40 m/s.** 

For grinding all steels, particularly well suited to difficult to machine materials such as **stainless steel**, **nickel alloys**, **chromium**, **titanium**.

### Note:

Suitable hand sanding block for hook and loop grinding discs see No. 567857 size 125 and Gr.150. See No. 566902 – 566950 for velour abrasive discs. For mini grinding systems  $\varnothing$  50 mm and  $\varnothing$  75 mm, see No. 554005 onwards.

maximum circumferential speed: 40 m/s



# **Technical description**

Disc Ø	125 mm
Grinding media backing	Fabric underlay
Grit	120
Grinding media	Cubitron™II
Grinding medium code	Ceramic
Iron, sulphur and chlorine constituents	< 0.1 %
Product name attribute	Ø 125 mm
Propulsive equipment	Angle grinders; orbital sanders
maximum circumferential speed	40 m/s
Type of product	Velour-backed abrasive disc