TROP

Diamond cutting disc PREMIUM*** Tiles, Disc Ø: 115 mm



Order data

Order number	569750 115
GTIN	9003176395599
Item class	53T

Description

Version:

Diamond cutting discs for wet and dry cutting. Bore Ø 22.23 mm.

- · High cutting performance of diamonds gives short cutting times.
- Extremely long working life, fewer disc changes.
- Unvarying diameter, always cuts to the full depth.
- Hardly any disc wear, reducing dust generation.

Tile disc with continuous cutting edge, disc thickness **1.2 mm** (Ø 115) and **1.6 mm** (Ø 230), very free-cutting geometry, 10 mm coating width. Especially for tiles and granite slabs. **Tile disc** with continuous cutting edge, disc thickness **1.2 mm** (Ø 115), very free-cutting geometry, 10 mm coating width. Especially for tiles and granite slabs.

Standard:

Diamond cutting discs for wet and dry cutting. Bore \emptyset 22.23 mm.

Very easy-cutting diamond cutting disc for tiles and granite.

Application:

For cutting all common building materials such as concrete (even reinforced), bricks, natural stone, tiles, ceramics, steel etc.

Note:

· Diamond coating already pre-sharpened. Observe correct direction of rotation!

· Other diamond cutting discs on request.

maximum circumferential speed: 80 m/s

Bore Ø: 22.23 mm Disc thickness: 1.2 mm Bore Ø: 22.23 mm

Technical description

Disc thickness	1.2 mm
Bore Ø	22.23 mm
Abrasive coating height	10 mm
Disc Ø	115 mm
maximum speed	13300 rpm
Grinding media	Diamond
Grinding medium code	D
optimised for material	Stone
Shape	41
Shape description	straight
maximum circumferential speed	80 m/s
Type of product	Cutting-off wheel