



Double-ended ring spanner set, deeply cranked, chrome-plated, Number of keys: 13



Order data

| | |
|--------------|---------------|
| Order number | 615960 13 |
| GTIN | 4045197463838 |
| Item class | 62A |

Description

Version:

Drop-forged. With close tolerance jaw widths.

HOLEX – With oval shaft.

Standard:

DIN 838 / ISO 3318

Material:

HOLEX – Chrome vanadium steel, chrome-plated.

Content:

1 each spanner No. 615700 / 615000 / 615900 / 615950: 6×7; 8×9; 10×11; 12×13; 14×15; 16×17; 18×19; 20×22; 21×23; 24×26; 27×32; 30×34; 36×41

Supplied with:

1 each double ended ring spanner No. 615700 / 615000 / 615900 / 615950: 6×7; 8×9; 10×11; 12×13; 14×15; 16×17; 18×19; 20×22; 21×23; 24×26; 27×32; 30×34; 36×41

Technical description

| | |
|-----------------------|-------------|
| Number of keys | 13 |
| Width across flats | metric |
| Ring setting | 75 degrees |
| Manufacturing process | drop forged |

| | |
|------------------------|-----------------------|
| Material | Chrome vanadium steel |
| Surface | chrome plated |
| Product name attribute | chrome-plated |
| Type of product | Spanner |

Accessories

| | |
|-----------------------------------------------------------------------|--------------|
| Double-ended ring spanner, deeply cranked Width across flats 8X9 mm | 615900 8X9 |
| Double-ended ring spanner, deeply cranked Width across flats 6X7 mm | 615900 6X7 |
| Double-ended ring spanner, deeply cranked Width across flats 30X34 mm | 615900 30X34 |
| Double-ended ring spanner, deeply cranked Width across flats 24X26 mm | 615900 24X26 |
| Double-ended ring spanner, deeply cranked Width across flats 16X17 mm | 615900 16X17 |
| Double-ended ring spanner, deeply cranked Width across flats 27X32 mm | 615900 27X32 |
| Double-ended ring spanner, deeply cranked Width across flats 21X23 mm | 615900 21X23 |
| Double-ended ring spanner, deeply cranked Width across flats 20X22 mm | 615900 20X22 |
| Double-ended ring spanner, deeply cranked Width across flats 10X11 mm | 615900 10X11 |
| Double-ended ring spanner, deeply cranked Width across flats 14X15 mm | 615900 14X15 |
| Double-ended ring spanner, deeply cranked Width across flats 36X41 mm | 615900 36X41 |
| Double-ended ring spanner, deeply cranked Width across flats 18X19 mm | 615900 18X19 |
| Double-ended ring spanner, deeply cranked Width across flats 12X13 mm | 615900 12X13 |

