



Socket set 3/8 inch square drive 29 pieces, Type: P



Order data

Order number	634120 P
GTIN	4013288173867
Item class	63F

Description

Version:

Drives / accessories to DIN 3122 / 3123; sockets to DIN 3124. Internal / external square drives to **DIN 3120.**

Application:

For hexagon head screws / nuts with thread M5 – M12 and for hexagon socket head screws with thread M4 – M10.

For Phillips and Pozidriv screws with thread M2 – M6 and for internal Torx® screws with thread M3.5 – M8.

Material:

Chrome molybdenum steel, matt chrome-plated.

Content:

With push-through square No. 635290.

Supplied with:

Socket single hexagon: 9 pcs.

size 8; 10; 12; 13; 15; 16; 17; 18; 19 mm

Hexagon bit: 5 pcs. No. 675240 size 3; 4; 5; 6; 8

BITS for Phillips: 3 pcs. No. 675310 size 1/25; 2/25; 3/25

Pozidriv bit: 2 pcs. No. 675320 size 1/25; 2/25

BITS for Torx®: 6 pcs. No. 675340 size TX15; TX20; TX25; TX27; TX30; TX40

Extension with quick rotation sleeve: 1 pc. 200 mm

Wobbel extension: 1 pc. 76 mm

Adapter with quick-release holder: 1 pc. 3/8 inch square – 1/4 inch hexagon bit holder

Ratchet (size P): 1 pc. No. 635290 with push-through square

Ratchet (size S): 1 pc. No. 635295 with reversible ratchet

Presented in: Textile wallet with hook and loop fastener

Height: 57 mm

Square drive: 3/8 inch

Width across flats range, hexagon sockets: 8-19 mm

Width across flats range, hexagon wrenches: 3-8 mm

Technical description

Drive profile	Hexagon socket
Drive profile	Hexagon socket
Drive profile	Pozidriv screwdriver
Drive profile	Screwdriver for Phillips
Drive profile	Screwdriver for TORX® screws
Square drive	3/8 inch
Number of pieces	29
Width across flats	metric
Width across flats range, hexagon sockets	8-19 mm
Width across flats range, hexagon wrenches	3-8 mm
Packaging	Textile folding wallet, hook and loop fastening
Length	262 mm
Width	120 mm
Height	57 mm
Type of product	Socket spanner

Accessories

Bit for hexagon, 1/4 inch Hex-plus profile Hexagon 5 mm	675240 5
Bit for Phillips, 1/4 inch Cross-head size / overall length 2/25 mm	675310 2/25
Bit for hexagon, 1/4 inch Hex-plus profile Hexagon 6 mm	675240 6

Precision ratchet "Zyklop Metal" push-through square drive, 3/8 inch with ejector	635290
Bit for Pozidriv, 1/4 inch Cross-head size / overall length 2/25 mm	675320 2/25
Bit for Phillips, 1/4 inch Cross-head size / overall length 1/25 mm	675310 1/25
Bit for Torx®, 1/4 inch Torx® profile TX20	675340 TX20
Bit for Torx®, 1/4 inch Torx® profile TX25	675340 TX25
Bit for hexagon, 1/4 inch Hex-plus profile Hexagon 3 mm	675240 3
Bit for Torx®, 1/4 inch Torx® profile TX15	675340 TX15
Bit for Pozidriv, 1/4 inch Cross-head size / overall length 1/25 mm	675320 1/25
Bit for hexagon, 1/4 inch Hex-plus profile Hexagon 4 mm	675240 4
Bit for hexagon, 1/4 inch Hex-plus profile Hexagon 8 mm	675240 8
Bit for Torx®, 1/4 inch Torx® profile TX40	675340 TX40
Bit for Torx®, 1/4 inch Torx® profile TX27	675340 TX27
Bit for Torx®, 1/4 inch Torx® profile TX30	675340 TX30
Bit for Phillips, 1/4 inch Cross-head size / overall length 3/25 mm	675310 3/25