

**Garant**
**Torque wrench with reversible ratchet, maximum torque: 1000 Nm**

**Order data**

Order number	656050 1000
GTIN	4045197542533
Item class	61E

**Description**
**Version:**

Handy and very compact single-arm torque wrench, adjustable by scale and self-triggering. Extremely high repeat accuracy, since high quality materials are used throughout. Wearing parts, such as compression springs, are specially pre-treated and sorted. Reversible ratchet for left-hand and right-hand tightening.

Acoustic and perceptible "click effect" ensures particularly easy use and accurate setting of the desired torque.

With built-in **reversible ratchet** with ejector – **for left-hand and right-hand tightening.**

**Units of measure:** N·m **2-piece** with release tool in nylon carrying bag.

**Function:**

The wrench triggers giving a "signal" (clearly audible acoustic tone and noticeable vibration) and afterwards is immediately ready for use again.

**Application:**

For medium to larger batch productions.

**Standard:**

Geprüft nach DIN EN ISO 6789.

**Accuracy:**

Of the displayed value **only for right-hand tightening:**  $\pm 3\%$

**Note:**

DAkkS calibration option.

The guaranteed measuring accuracy of the torque is achieved only once the torque range has been calibrated to DIN EN ISO 6789.

Direction of tightening: For right and left-hand tightening

Torque measuring accuracy:  $\pm 3\%$

Test certificate: Manufacturer's test certificate

Calibration: O1

Overall length L: 1764 mm

Torque range: 400 - 1000 Nm

Scale graduation, 1 graduation =: 5 Nm

Weight: 10000 g

Square drive: 3/4 inch

## Technical description

Weight	10000 g
Display	analogue
maximum torque	1000 Nm
Square drive	3/4 inch
Torque measuring accuracy	±3 %
Direction of tightening	For right and left-hand tightening
Scale graduation, 1 graduation =	5 Nm
Torque range	400 - 1000 Nm
Connection format	Push-through square drive (ratchet)
Lever length including factory calibration reference dimension [l <sub>3</sub> ]	1637 mm
Reversible reading	Nm
Standard	DIN EN ISO 6789
Overall length L	1764 mm
Measurement process	Torque
Setting the trigger value	with adjustment scale
Adjustable trigger value	adjustable
Trigger principle	mechanical short-travel release
Feedback	triggering
Calibration	O1
Test certificate	Manufacturer's test certificate
Data can be recorded	no
Release signalling	akustisk
Release signalling	haptisk
Measurement technology	mechanical

Type of product	Torque Wrench
-----------------	---------------

---

## Services

Labelling laser-etched Type	018940
Calibration Torque wrench maximum torque 1000 Nm	018820 1000
DAkkS calibration Torque wrench maximum torque 1000 Nm	018830 1000

---

## Accessories

Spare parts set for ratchet Square drive 3/4-1000 inch	656051 3/4-1000
--	-----------------