

Garant
Torque wrench with reversible ratchet, maximum torque: 25 Nm

Order data

Order number	656050 25
GTIN	4045197302205
Item class	61E

Description
Version:

Handy and very compact single-arm torque wrench, adjustable by scale and self-triggering. Extremely high repeat accuracy, since high quality materials are used throughout. Wearing parts, such as compression springs, are specially pre-treated and sorted. Reversible ratchet for left-hand and right-hand tightening.

Acoustic and perceptible "click effect" ensures particularly easy use and accurate setting of the desired torque.

With built-in **reversible ratchet** with ejector – **for left-hand and right-hand tightening.**

Units of measure: N·m

Function:

The wrench triggers giving a "signal" (clearly audible acoustic tone and noticeable vibration) and afterwards is immediately ready for use again.

Application:

For medium to larger batch productions.

Standard:

Geprüft nach DIN EN ISO 6789.

Accuracy:

Of the displayed value **only for right-hand tightening:** $\pm 3 \%$

Note:

DAkkS calibration option.

The guaranteed measuring accuracy of the torque is achieved only once the torque range has been calibrated to DIN EN ISO 6789.

Direction of tightening: For right and left-hand tightening

Torque measuring accuracy: $\pm 3 \%$

Test certificate: Manufacturer's test certificate

Calibration: O1

Overall length L: 242 mm

Torque range: 2.5 - 25 Nm

Scale graduation, 1 graduation =: 0.25 Nm

Weight: 400 g

Square drive: 1/4 inch

Technical description

Square drive	1/4 inch
Display	analogue
Weight	400 g
maximum torque	25 Nm
Torque measuring accuracy	±3 %
Direction of tightening	For right and left-hand tightening
Scale graduation, 1 graduation =	0.25 Nm
Torque range	2.5 - 25 Nm
Measurement process	Torque
Trigger principle	mechanical short-travel release
Standard	DIN EN ISO 6789
Lever length including factory calibration reference dimension [L ₃]	172 mm
Setting the trigger value	with adjustment scale
Feedback	triggering
Reversible reading	Nm
Connection format	Push-through square drive (ratchet)
Adjustable trigger value	adjustable
Overall length L	242 mm
Calibration	O1
Test certificate	Manufacturer's test certificate
Data can be recorded	no
Measurement technology	mechanical
Release signalling	akustisk
Release signalling	haptisk

Type of product	Torque Wrench
-----------------	---------------

Services

Labelling laser-etched Type	018940
-----------------------------	--------

Calibration Torque wrench maximum torque 400 Nm	018820 400
---	------------

Accessories

Spare parts set for ratchet Square drive 1/4 inch	656051 1/4
---	------------