



## Torque Wrench with ratchet, maximum torque: 300 Nm



### Order data

Order number	657272 300
GTIN	4045197804136
Item class	62E

### Description

#### Version:

Robust torque wrench, adjustable with micrometer scale, with protection against accidental changes to the setting.

Integral ratchet to accept sockets.

**Units of measure:** N·m, lbf·ft. Ratchet with captive **push-through square drive pin** and retaining pin, for **right-hand and left-hand tightening**.

#### Function:

On reaching the set torque value the wrench triggers giving a "signal" (audible and perceptible) and is then immediately ready for use again.

#### Application:

For small to medium series.

#### Standard:

Geprüft nach DIN EN ISO 6789.

#### Accuracy:

±3 % of the displayed value.

#### Note:

The guaranteed measuring accuracy of the torque is achieved only once the torque range has been calibrated to DIN EN ISO 6789.

Direction of tightening: For right- and left-hand tightening

Torque measuring accuracy: ±3 %

Test certificate: Manufacturer's test certificate

Calibration: O1

Overall length L: 587 mm

Torque range: 60 - 300 Nm

Scale graduation, 1 graduation =: 1 Nm

Weight: 1350 g

Square drive: 1/2 inch

## Technical description

Torque measuring accuracy	±3 %
Direction of tightening	For right- and left-hand tightening
Display	analogue
Weight	1350 g
Scale graduation, 1 graduation =	1 Nm
maximum torque	300 Nm
Square drive	1/2 inch
Torque range	60 - 300 Nm
Setting the trigger value	with adjustment scale
Lever length including factory calibration reference dimension [L <sub>3</sub> ]	460 mm
Measurement process	Torque
Reversible reading	Nm
Reversible reading	lbfft
Standard	DIN EN ISO 6789
Trigger principle	mechanical short-travel release
Overall length L	587 mm
Feedback	triggering
Adjustable trigger value	adjustable
Connection format	Push-through square drive (ratchet)
Calibration	O1
Test certificate	Manufacturer's test certificate
Data can be recorded	no
Measurement technology	mechanical
Release signalling	acoustic
Release signalling	haptisk
Type of product	Torque Wrench

## Services

Labelling laser-etched Type	018940
Calibration Torque wrench maximum torque 400 Nm	018820 400
DAkkS calibration Torque wrench maximum torque 1000 Nm	018830 1000

---

## Accessories

Spare parts set for ratchet Square drive 1/2 inch	657271 1/2
---	------------