



## Torque wrench without scale, Maximum torque: 100 Nm



### Order data

Order number	657352 100
GTIN	4045197804198
Item class	62E

### Description

#### Version:

Single-handed torque wrenches without a setting scale. Wrench setting using torque analyser. Integral ratchet with captive push-through square drive pin for **right-hand and left-hand tightening**.

#### Function:

If the set value is reached while using the wrench, the wrench triggers giving a "signal" (audible and perceptible) and is then immediately ready for use again.

#### Application:

For controlled screw tightening etc. to specified torques in series production.

#### Standard:

Geprüft nach DIN EN ISO 6789.

#### Accuracy:

±3% of the set value.

#### Note:

The guaranteed measuring accuracy of the torque is achieved only once the torque range has been calibrated to DIN EN ISO 6789.

Direction of tightening: For right and left-hand tightening

Torque measuring accuracy: ±3 %

Calibration: O6

Calibration: O7

Overall length L: 375 mm

Torque range: 20 - 100 Nm

Weight: 1000 g

Square drive: 1/2 inch

### Technical description

Weight	1000 g
--------	--------

Torque measuring accuracy	±3 %
Direction of tightening	For right and left-hand tightening
maximum torque	100 Nm
Square drive	1/2 inch
Torque range	20 - 100 Nm
Reversible reading	Nm
Measurement process	Torque
Feedback	triggering
Trigger principle	mechanical short-travel release
Standard	DIN EN ISO 6789
Overall length L	375 mm
Connection format	Push-through square drive (ratchet)
Setting the trigger value	without adjustment scale (requires a testing device)
Adjustable trigger value	forudindstillet
Lever length including factory calibration reference dimension [L <sub>3</sub> ]	252 mm
Calibration	O6
Calibration	O7
Data can be recorded	no
Measurement technology	mechanical
Release signalling	acoustic
Release signalling	haptisk
Type of product	Torque Wrench

## Services

Calibration and adjustment Torque wrench without scale maximum torque 400 Nm	018891 400
Adjustment Torque wrench without scale	018890
Labelling laser-etched Type	018940

DAkKS calibration Torque wrench maximum torque 1000 Nm

018830 1000

## Accessories

Torque analyser for torque wrenches "SmartCheck" maximum torque 100 Nm

654650 100

Spare parts set for ratchet Square drive 1/2 inch

657271 1/2

Electronic torque analyser "ProTest" maximum torque 400 Nm

654460 400