### HOLEX

Torque wrench without scale, Maximum torque: 200 Nm



# Order data

Order number	657352 200
GTIN	4045197804204
Item class	62E

# Description

### Version:

Single-handed torque wrenches without a setting scale. Wrench setting using torque analyser. Integral ratchet with captive push-through square drive pin for **right-hand and left-hand** 

# tightening.

## Function:

If the set value is reached while using the wrench, the wrench triggers giving a "signal" (audible and perceptible) and is then immediately ready for use again.

#### **Application:**

For controlled screw tightening etc. to specified torques in series production.

#### Standard:

Geprüft nach DIN EN ISO 6789.

#### Accuracy:

 $\pm 3\%$  of the set value.

### Note:

The guaranteed measuring accuracy of the torque is achieved only once the torque range has been calibrated to DIN EN ISO 6789.

Direction of tightening: For right and left-hand tightening

Torque measuring accuracy:  $\pm 3~\%$ 

Calibration: O6 Calibration: O7

Overall length L: 459 mm

Torque range: 40 - 200 Nm

Weight: 1200 g Square drive: 1/2 inch

### **Technical description**

Square drive

1/2 inch

maximum torque	200 Nm
Direction of tightening	For right and left-hand tightening
Weight	1200 g
Torque measuring accuracy	±3 %
Torque range	40 - 200 Nm
Lever length including factory calibration reference dimension $[I_3]$	335 mm
Setting the trigger value	without adjustment scale (requires a testing device)
Adjustable trigger value	forudindstillet
Standard	DIN EN ISO 6789
Connection format	Push-through square drive (ratchet)
Feedback	triggering
Reversible reading	Nm
Overall length L	459 mm
Trigger principle	mechanical short-travel release
Measurement process	Torque
Calibration	06
Calibration	07
Data can be recorded	no
Measurement technology	mechanical
Release signalling	acoustic
Release signalling	haptisk
Type of product	Torque Wrench

# Services

Labelling laser-etched Type	018940
Calibration and adjustment Torque wrench without scale maximum torque 400 Nm	018891 400
Adjustment Torque wrench without scale	018890

© Hoffmann GmbH Qualitätswerkzeuge 22.01.202122:42

DAkkS calibration Torque wrench maximum torque 1000 Nm	018830 1000
Accessories	
Spare parts set for ratchet Square drive 1/2 inch	657271 1/2
Electronic torque analyser "ProTest" maximum torque 400 Nm	654460 400
Torque analyser for torque wrenches "SmartCheck" maximum torque 400 Nm	654650 400