



Torque wrench without scale, Maximum torque: 300 Nm



Order data

Order number	657352 300
GTIN	4045197804211
Item class	62E

Description

Version:

Single-handed torque wrenches without a setting scale. Wrench setting using torque analyser. Integral ratchet with captive push-through square drive pin for **right-hand and left-hand tightening**.

Function:

If the set value is reached while using the wrench, the wrench triggers giving a "signal" (audible and perceptible) and is then immediately ready for use again.

Application:

For controlled screw tightening etc. to specified torques in series production.

Standard:

Geprüft nach DIN EN ISO 6789.

Accuracy:

±3% of the set value.

Note:

The guaranteed measuring accuracy of the torque is achieved only once the torque range has been calibrated to DIN EN ISO 6789.

Direction of tightening: For right and left-hand tightening

Torque measuring accuracy: ±3 %

Calibration: O6

Calibration: O7

Overall length L: 587 mm

Torque range: 60 - 300 Nm

Weight: 1600 g

Square drive: 1/2 inch

Technical description

Square drive	1/2 inch
--------------	----------

maximum torque	300 Nm
Direction of tightening	For right and left-hand tightening
Torque measuring accuracy	±3 %
Weight	1600 g
Torque range	60 - 300 Nm
Connection format	Push-through square drive (ratchet)
Standard	DIN EN ISO 6789
Setting the trigger value	without adjustment scale (requires a testing device)
Trigger principle	mechanical short-travel release
Adjustable trigger value	forudindstillet
Measurement process	Torque
Feedback	triggering
Reversible reading	Nm
Lever length including factory calibration reference dimension [L ₃]	460 mm
Overall length L	587 mm
Calibration	O6
Calibration	O7
Data can be recorded	no
Measurement technology	mechanical
Release signalling	acoustic
Release signalling	haptisk
Type of product	Torque Wrench

Services

Labelling laser-etched Type	018940
Adjustment Torque wrench without scale	018890
Calibration and adjustment Torque wrench without scale maximum torque 400 Nm	018891 400

DAkkS calibration Torque wrench maximum torque 1000 Nm

018830 1000

Accessories

Electronic torque analyser "ProTest" maximum torque 400 Nm

654460 400

Torque analyser for torque wrenches "SmartCheck" maximum torque 400 Nm

654650 400

Spare parts set for ratchet Square drive 1/2 inch

657271 1/2