

Garant

Torque wrench without scale with reversible ratchet, maximum torque: 25 Nm



Order data

Order number	657460 25
GTIN	4045197995988
Item class	61E

Description

Version:

Single-handed torque wrench without a setting scale. Set the desired torque value using setting tool 657455 size 1 in conjunction with a suitable testing device.

With built-in **reversible ratchet** with ejector – **for left-hand and right-hand tightening**.
Torque wrench, only right-hand triggering.

Function:

On reaching the set torque value the wrench triggers giving a "signal" (audible and perceptible) and is then immediately ready for use again.

Application:

For controlled screw tightening etc. to specified torques in batch productions.

Standard:

Geprüft nach DIN EN ISO 6789.

Accuracy:

±2% of the set value.

Direction of tightening: For right and left-hand tightening

Torque measuring accuracy: ±2 %

Calibration: O6

Calibration: O7

Overall length L: 205 mm

Torque range: 5 - 25 Nm

Weight: 280 g

Square drive: 1/4 inch

Technical description

Square drive	1/4 inch
--------------	----------

Torque measuring accuracy	±2 %
maximum torque	25 Nm
Torque range	5 - 25 Nm
Weight	280 g
Direction of tightening	For right and left-hand tightening
Reversible reading	Nm
Overall length L	205 mm
Measurement process	Torque
Lever length including factory calibration reference dimension [I ₃]	141 mm
Trigger principle	mechanical short-travel release
Setting the trigger value	uden indstillingskala (kræver testapparat)
Standard	DIN EN ISO 6789
Feedback	triggering
Adjustable trigger value	pre-set
Connection format	Push-through square drive (ratchet)
Calibration	O6
Calibration	O7
Data can be recorded	no
Measurement technology	mechanical
Release signalling	acoustic
Release signalling	haptisk
Type of product	Torque Wrench

Services

DAkkS calibration Torque wrench maximum torque 1000 Nm	018830 1000
Adjustment Torque wrench without scale	018890
	018891 400

Calibration and adjustment Torque wrench without scale
maximum torque 400 Nm

Labelling laser-etched Type

018940

Accessories

Setting wrench for the torque value Type 1

657455 1