



## Torque wrench base unit, maximum torque: 35 Nm



### Order data

Order number	657500 35
GTIN	4045197566430
Item class	62E

### Description

#### Version:

Single-handed torque wrench without a setting scale. Wrench setting using torque analyser.

#### Left-hand tightening by reversing the plug-in head.

Without plug-in head (base model); see No. 657582 – 657590 for suitable plug-in heads.

#### Function:

On reaching the set torque value the wrench triggers giving a "signal" (audible and perceptible) and is then immediately ready for use again.

#### Application:

For controlled screw tightening etc. to specified torques in batch productions.

#### Standard:

Geprüft nach DIN EN ISO 6789.

#### Optional extras:

Adjustment wrench No. 657520.

Direction of tightening: For right and left-hand tightening

Torque measuring accuracy:  $\pm 4\%$

Exchangeable tool: Plug-in head

Calibration: O6

Calibration: O7

Overall length L: 180 mm

Torque range: 7 - 35 Nm

Weight: 250 g

Socket for plug-in head: 9x12 mm

### Technical description

maximum torque	35 Nm
Weight	250 g

Socket for plug-in head	9×12 mm
Torque measuring accuracy	±4 %
Direction of tightening	For right and left-hand tightening
Exchangeable tool	Plug-in head
Torque range	7 - 35 Nm
Connection format	for plug-in heads (rectangular socket)
Adjustable trigger value	pre-set
Trigger principle	mechanical short-travel release
Standard	DIN EN ISO 6789
Reversible reading	Nm
Feedback	triggering
Setting the trigger value	uden indstillingskala (kræver testapparat)
Measurement process	Torque
Overall length L	180 mm
Calibration	O6
Calibration	O7
Data can be recorded	no
Release signalling	akustisk
Release signalling	haptisk
Measurement technology	mechanical
Type of product	Torque Wrench

## Services

Calibration Torque wrench maximum torque 400 Nm	018820 400
Adjustment Torque wrench without scale	018890

## Accessories

Plug-in ratchet with ejector Type-Square drive 1-1/4 inch	657580 1-1/4
---	--------------

Plug-in ratchet Square drive 1-1/4 inch	657620 1-1/4
Plug-in ratchet Square drive 1-1/2 inch	657620 1-1/2
Electronic torque analyser "ProTest" maximum torque 60 Nm	654460 60
Plug-in ratchet with ejector Type-Square drive 1-3/8 inch	657580 1-3/8
Setting wrench for the torque value	657520
Plug-in ratchet with ejector Type-Square drive 1-1/2 inch	657580 1-1/2
Torque analyser for torque wrenches "SmartCheck" maximum torque 10 Nm	654650 10
Torque analyser for torque wrenches "SmartCheck" maximum torque 100 Nm	654650 100
Plug-in ratchet Square drive 1-3/8 inch	657620 1-3/8
Plug-in ratchet reversible with ejector Type-Square drive 1-1/4 inch	657582 1-1/4
Plug-in ratchet Type-Square drive 1-3/8 inch	657630 1-3/8
Plug-in ratchet Type-Square drive 1-1/2 inch	657630 1-1/2
Plug-in ratchet Type-Square drive 1-1/4 inch	657630 1-1/4
Plug-in ratchet reversible with ejector Type-Square drive 1-3/8 inch	657582 1-3/8
Plug-in ratchet reversible with ejector Type-Square drive 1-1/2 inch	657582 1-1/2