

Garant
Torque wrench "Slipper" without scale, maximum torque: 125 Nm

Order data

Order number	657766 125
GTIN	4045197891679
Item class	61E

Description
Version:

The special slipping trigger mechanism **reliably prevents unintentional overtightening**.

Torque wrench **without scale**. Wrench setting using torque analyser.

With integral ratchet

Advantage:

Precision triggering mechanism facilitates working in inaccessible places.

Function:

On reaching the set torque value the wrench triggers a clearly detectable deflection and is then immediately ready for use again. The special trigger mechanism ensures that the set torque values are reliably achieved, **but not exceeded**.

Application:

For medium to larger batch productions.

Standard:

Geprüft nach DIN EN ISO 6789.

Accuracy:

±6 % of the set value.

Direction of tightening: For right-hand tightening

Torque measuring accuracy: ±6 %

Test certificate: Manufacturer's test certificate

Calibration: O6

Calibration: O7

Overall length L: 460 mm

Torque range: 40 - 125 Nm

Weight: 1360 g

Square drive: 1/2 inch

Technical description

Torque measuring accuracy	±6 %
Weight	1360 g
Torque range	40 - 125 Nm
Square drive	1/2 inch
Direction of tightening	For right-hand tightening
maximum torque	125 Nm
Reversible reading	Nm
Reversible reading	lbfft
Connection format	Push-through square drive (ratchet)
Feedback	triggering
Setting the trigger value	uden indstillingskala (kræver testapparat)
Measurement process	Torque
Overall length L	460 mm
Lever length without plug-in head [L ₁]	378 mm
Trigger principle	mechanical slip clutch
Adjustable trigger value	pre-set
Standard	DIN EN ISO 6789
Calibration	O6
Calibration	O7
Test certificate	Manufacturer's test certificate
Data can be recorded	no
Release signalling	optisk
Release signalling	akustisk
Release signalling	haptisk
Measurement technology	mechanical
Type of product	Torque Wrench

Services

Adjustment Torque wrench without scale	018890
--	--------

Calibration and adjustment Torque wrench without scale maximum torque 400 Nm	018891 400
Labelling laser-etched Type	018940
DAkkS calibration Torque wrench maximum torque 1000 Nm	018830 1000

Accessories

Electronic torque analyser "ProTest" maximum torque 400 Nm	654460 400
Torque analyser for torque wrenches "SmartCheck" maximum torque 400 Nm	654650 400
Torque analyser for torque wrenches "SmartCheck" maximum torque 100 Nm	654650 100
Electronic torque analyser "ProTest" maximum torque 60 Nm	654460 60