



## Torque screwdriver TorqueVario®, maximum torque: 200 cNm



### Order data

Order number	659930 200
GTIN	4010995264628
Item class	63K

### Description

#### Version:

Numerical display of the torque value via scale in the window (40 – 50 individual values, depending on the torque range). Torque continuously adjustable using Torque–Setter (included). On reaching the set torque value, the screwdriver can be felt and heard to trigger and is then immediately ready for use again. Accuracy class  $\pm 6\%$ .

#### Application:

For checking threaded fastenings to the specified torque, in combination with a Wiha Torque interchangeable bit No. 659932 – 659946.

#### Standard:

Geprüft nach DIN EN ISO 6789.

#### Note:

The guaranteed measuring accuracy of the torque is achieved only once the torque range has been calibrated to DIN EN ISO 6789.

Setting standard for size 60-700: No. 659931 size1 and for size 1400: No. 659931 size 2.

Direction of tightening: Right-hand tightening

Torque measuring accuracy:  $\pm 6\%$

Test certificate: Manufacturer's test certificate

Calibration: O1

Torque measuring accuracy:  $\pm 6\%$

Overall length L: 131 mm

Torque range: 50 - 200 cNm

Torque range: 0.5 - 2 Nm

Scale graduation, 1 graduation =: 0.1 Nm

Ø: 30 mm

### Technical description

maximum torque	200 cNm
Ø	30 mm
Display	analogue
Torque measuring accuracy	±6 %
Torque range	50 - 200 cNm
Torque range	0.5 - 2 Nm
Connection format	exchangeable blade
Feedback	triggering
Trigger principle	mechanical short-travel release
Adjustable trigger value	pre-set
Weight	200 g
Standard	DIN EN ISO 6789
Setting the trigger value	with adjustment scale
Reversible reading	Nm
Measurement process	Torque
Overall length L	131 mm
Series	TorqueVario®
Calibration	O1
Direction of tightening	Right-hand tightening
Test certificate	Manufacturer's test certificate
Data can be recorded	no
Measurement technology	mechanical
Release signalling	akustisk
Release signalling	haptisk
Scale graduation, 1 graduation =	0.1 Nm
Torque fixed setting	no
Type of product	Torque screwdriver

## Services

Calibration Torque wrench maximum torque 400 Nm	018820 400
Labelling laser-etched Type	018940

---

## Accessories

Bit-holder	659932
Adjustment tool Torque Setter Type	659931
Torque interchangeable blade Pozidriv Cross-head size 0	659941 0
Torque interchangeable blade for Phillips Cross-head size 1	659940 1
Torque interchangeable blade for Phillips Cross-head size 0	659940 0
Torque interchangeable blade Pozidriv Cross-head size 1	659941 1