



Bits set with drive tool 32 pieces, Type: M



Order data

Order number	676100 M
GTIN	4013288157027
Item class	63H

Description

Version:

Practical Kraftform Kompakt® set of bits and drive tool **for manual and machine drives.**

Kraftform handle with quick-change holder for 1/4 inch bits with C 6.3 **and** E 6.3 shank.

Application:

Popular standard profiles for standard screw connections.

Content:

Bits, length 25 mm, C 6.3, for Phillips: No. 675200 3 pcs. each size 1/25; 2/25; 3/25

Bits, length 25 mm, C 6.3, for Pozidriv: No. 675220 3 pcs. each size 1/25; 2/25; 3/25

Bits, length 25 mm, C 6.3, for slot-head: 1 pc. each size 0.6x4.5; 1.0x5.5; 1.2x6.5

Bits, length 25 mm, C 6.3, for hex socket: No. 675240 1 pc. each size 4; 5; 6

Bits, length 25 mm, C 6.3, for internal Torx® with pin: No. 675350 1 pc. each size TX10; TX15; TX20; TX25; TX30; TX40

Screwdriver handle: 1 pc. No. 676410 with „Rapidaptor“ quick-change chuck C/E 6.3

„Rapidaptor“ coupling shank: 1 pc. No. 675020 size 6.3K

Technical description

Drive profile	Slot-head screwdriver
---------------	-----------------------

Drive profile	Screwdriver for TORX® screws with hole
Drive profile	Hexagon screwdriver
Drive profile	Screwdriver for Phillips
Drive profile	Pozidriv screwdriver
Number of pieces	32
Drive tool	Screwdriver handle
telescopic blade is retractable into the handle	no

Accessories

Bit for Torx®, 1/4 inch with bore Torx® profile TX30	675350 TX30
Bit for slot-head, 1/4 inch, with torsion zone Cross-head size / overall length 3/25 mm	675200 3/25
Bit for Torx®, 1/4 inch with bore Torx® profile TX20	675350 TX20
Bit for hexagon, 1/4 inch Hex-plus profile Hexagon 5 mm	675240 5
Bit for Pozidriv, 1/4 inch, with torsion zone Cross-head size / overall length 3/25 mm	675220 3/25
Bit for hexagon, 1/4 inch Hex-plus profile Hexagon 6 mm	675240 6
Bit for Torx®, 1/4 inch with bore Torx® profile TX10	675350 TX10
Shank with magnet / quick-change coupling Hexagon shank 6,3K	675020 6,3K
Bit for Pozidriv, 1/4 inch, with torsion zone Cross-head size / overall length 2/25 mm	675220 2/25
Bit for Pozidriv, 1/4 inch, with torsion zone Cross-head size / overall length 1/25 mm	675220 1/25
Bit for hexagon, 1/4 inch Hex-plus profile Hexagon 4 mm	675240 4
Kraftform screwdriver holder for 1/4 inch bits C 6.3 and E 6.3 with quick-change chuck Hexagon socket 6,3 mm	676410 6,3
Bit for Torx®, 1/4 inch with bore Torx® profile TX40	675350 TX40
	675200 1/25

Bit for slot-head, 1/4 inch, with torsion zone Cross-head
size / overall length 1/25 mm

Bit for slot-head, 1/4 inch, with torsion zone Cross-head
size / overall length 2/25 mm

675200 2/25

Bit for Torx®, 1/4 inch with bore Torx® profile TX15

675350 TX15

Bit for Torx®, 1/4 inch with bore Torx® profile TX25

675350 TX25