

Garant
Bits set with drive tool 32 pieces

Order data

Order number	676160
GTIN	4045197635013
Item class	61F

Description
Version:

System box of virtually indestructible ABS plastic with integral hinges and snap fastener. The bits are widely spaced so that when the box is open they can be easily accessed and taken out.

Content:

Assorted bits C 6.3 (1/4 inch); 1 coupling shank; 1 adaptor; 1 bit ratchet

Content:

Bits, length 25 mm, C 6.3, for Phillips: No. 675105 1 pc. each size 1/25; 2/25; 3/25

Bits, length 25 mm, C 6.3, for Pozidriv: No. 675115 2 pcs. each size 1/25; 2/25; 3/25

Bits, length 25 mm, C 6.3, for slot-head: 1 pc. size 4x0.5; 5.5x1; 6.5x1.2

Bits, length 25 mm, C 6.3, for hex socket: No. 675125 1 pc. size 2.5; 3; 4; 5; 6

Bits, length 25 mm, C 6.3, for internal Torx®: No. 675155 2 pcs. each size TX10; TX15; TX20; TX25; TX30; TX40

adapter: 1 pc. 1/4 inch square socket – 1/4 inch bit holder

Quick-release adaptor: 1 pc. No. 675050 size 6.3

Bit ratchet, 1/4 inch: 1 pc. No. 676690

Technical description

Bit hexagon shank	C 6,3
Height	47 mm

Length	127 mm
Width	85 mm
Drive profile	Screwdriver for TORX® screws
Drive profile	Screwdriver for Phillips
Drive profile	Pozidriv screwdriver
Drive profile	Slot-head screwdriver
Drive profile	Hexagon screwdriver
Number of pieces	32
Drive tool	Bit ratchet, 1/4 inch
Packaging	ABS plastic box

Accessories

Modular box Type 21-1	630320 21-1
Bit for Pozidriv, 1/4 inch, with torsion zone Cross-head size / overall length 1/25 mm	675115 1/25
Bit for Torx®, 1/4 inch, with torsion zone Torx® profile TX10	675155 TX10
Bit for hexagon, 1/4 inch Hex-plus profile Hexagon 3 mm	675125 3
Bit for Torx®, 1/4 inch, with torsion zone Torx® profile TX25	675155 TX25
Bit for Torx®, 1/4 inch, with torsion zone Torx® profile TX15	675155 TX15
Bit for hexagon, 1/4 inch Hex-plus profile Hexagon 2,5 mm	675125 2,5
Bit for Pozidriv, 1/4 inch, with torsion zone Cross-head size / overall length 2/25 mm	675115 2/25
Bit for slot-head, 1/4 inch, with torsion zone Cross-head size / overall length 3/25 mm	675105 3/25
Bit for Torx®, 1/4 inch, with torsion zone Torx® profile TX30	675155 TX30
Bit for hexagon, 1/4 inch Hex-plus profile Hexagon 4 mm	675125 4
Bit for hexagon, 1/4 inch Hex-plus profile Hexagon 6 mm	675125 6
Bit for Torx®, 1/4 inch, with torsion zone Torx® profile TX20	675155 TX20
	675050 6,3

Shank with magnet / quick-change coupling Hexagon shank 6,3

Ratchet bit holder for 1/4 inch bits C 6.3 and E 6.3 Type 1/4

676690 1/4

Bit for hexagon, 1/4 inch Hex-plus profile Hexagon 5 mm

675125 5

Bit for slot-head, 1/4 inch, with torsion zone Cross-head size / overall length 1/25 mm

675105 1/25

Bit for Pozidriv, 1/4 inch, with torsion zone Cross-head size / overall length 3/25 mm

675115 3/25

Bit for slot-head, 1/4 inch, with torsion zone Cross-head size / overall length 2/25 mm

675105 2/25