




Countersinking bit, three-flute, External Ø: 10,4 mm



Order data

Order number	676310 10,4
GTIN	4013288119100
Item class	63H

Description

Version:

1/4 inch hexagon shank to DIN 3126 C 6.3.

Advantage:

Quick and uncomplicated changes between drill, countersink, and screw bits.

Application:

Ideal for repair and assembly work in mobile situations.

For use in power drills using adapter (No. 675000 – 675050) or in screwdriver holders (No. 676400 – 676770).

Standard: DIN 335 C

Number of cutting edges Z: 3

overall length: 34 mm

Shaft length: 20 mm

for bores from: 2.5 mm

for countersunk screw: M5

Technical description

overall length	34 mm
for countersunk screw	M5
for bores from	2.5 mm
Shaft length	20 mm
Number of cutting edges Z	3

External Ø	10.4 mm
Bit hexagon shank	C 6,3
Tool material	HSS
Countersink tip angle	90 degrees
Standard	DIN 335 C
Type of product	Stepped drill and countersink

Accessories

Shank with magnet / quick-change coupling BiTorsion Hexagon shank 6,3	675030 6,3
Kraftform screwdriver holder for 1/4 inch bits C 6.3 and E 6.3 with quick-change chuck Hexagon socket 6,3 mm	676656 6,3
Single-handed magazine ratchet with 1/4 inch bits in a textile belt holder	676770
Shank with magnet / quick-change coupling Hexagon shank 6,3	675050 6,3
Shank with snap ring Hexagon shank 6,3	675000 6,3
Shank with magnet / snap ring Hexagon shank 6,3	675015 6,3
Shank with magnet / snap ring Hexagon shank 6,3/100	675015 6,3/100
Bit-holding driver with 1/4 inch bits telescopic shank and magnet	676555
Shank with magnet / quick-change coupling Hexagon shank 6,3R	675020 6,3R
Shank with magnet / quick-change coupling Hexagon shank 6,3	675020 6,3
Shank with magnet / snap ring Hexagon shank 7-RUND	675010 7-RUND
Kraftform handle, bit holder 1/4 inch with telescopic blade Hexagon socket	676400
Kraftform screwdriver holder for 1/4 inch short bits, C 6.3 with magnet Hexagon socket 6,3 mm	676405 6,3
	675025 6,3

Shank with quick-change coupling and lock Hexagon shank 6,3

Kraftform screwdriver holder for 1/4 inch bits C 6.3 and E 6.3 with quick-change chuck, ESD Hexagon socket 6,3 mm

676415 6,3

Shank with magnet / quick-change coupling Hexagon shank 6,3K

675020 6,3K

Shank with magnet / snap ring Hexagon shank 6,3/150

675015 6,3/150

Bit-holding driver with 1/4 inch bits Snap ring and magnet

676620

Shank with magnet / quick-change coupling Hexagon shank 6,3S

675020 6,3S

Kraftform handle, bit holder for 1/4 inch bits C 6.3 with snap ring Hexagon socket 6,3 mm

676420 6,3

Kraftform screwdriver holder for 1/4 inch bits C 6.3 and E 6.3 with quick-change chuck Hexagon socket 6,3 mm

676410 6,3

Kraftform handle, bit holder for 1/4 inch bits C 6.3 with magnet Hexagon socket 6,3 mm

676440 6,3

Shank with snap ring Hexagon shank 11-1/4

675000 11-1/4