



## Electrician's competence toolbox XL 80 pieces



### Order data

Order number	680520
GTIN	4010995405236
Item class	63K

### Description

#### Function:

IP67: Protected against intermittent immersion in water and protected against penetration by dust (dust-tight), also completely protected against touching (refers to the case).

#### Application:

Comprehensive electrician's tool kit in a high-impact case of polypropylene with a carrying strap.

#### Content:

Nut spinner with plastic handle, VDE: 1 pc. each size 5.5; 7; 8; 10 mm

VDE slot-head screwdriver: 1 pc. each size 3.5; 4; 5.5; 6.5

VDE screwdriver PH: 1 pc. each size 1; 2

VDE screwdriver PZ: 1 pc. each size 1; 2

VDE PlusMinus PH slot-head screwdriver: 1 pc. each size 1; 2

VDE PlusMinus PZ slot-head screwdriver: 1 pc. each size 1; 2

Voltage tester up to 250 V: 1 pc. size 3

VDE bit magazine holder LiftUp mixed, slot-head; PH; PZ: 7-piece

VDE TriCut installation pliers: 1 pc.

VDE BiCut high performance side cutter: 1 pc.

VDE combination pliers: 1 pc. size 180 mm

VDE side cutters: 1 pc. size 180 mm

VDE snipe nose pliers, straight: 1 pc. size 200 mm

VDE snipe nose pliers, angled: 1 pc. size 200 mm

VDE water pump pliers: 1 pc. size 250 mm  
Voltage detector, 230 – 1000 V AC: 1 pc.  
Automatic wire stripping tool: 1 pc. each size 0.2 – 6.0 mm<sup>2</sup>  
Crimping tool for terminal sleeves: 1 pc. each size 0.14 – 14 mm<sup>2</sup>  
Cable stripping knife: 1 pc. size 4 – 28 mm  
Precision diagonal side cutters: 1 pc. size 125 mm  
Bit set mixed, slot-head; PH; PZ; for Torx ®: 1 pc., 31-piece  
Hexagon ball point key L-wrench set: 1 pc. each size 1.5 – 10 mm, 9-piece  
Screwdriver, slot-head: 1 pc. size 12  
Control panel key: 1 pc.  
Plastic folding rule: 1 pc.  
Spirit level, ABS plastic: 1 pc. size 200 mm

**Supplied with:**

VDE nut spinner screwdriver: 1 pc. each size 5.5; 7; 8; 10 mm  
VDE slot-head screwdriver: 1 pc. each size 3.5; 4; 5.5; 6.5  
VDE screwdriver PH: 1 pc. each size 1; 2  
VDE screwdriver PZ: 1 pc. each size 1; 2  
VDE PlusMinus PH slot-head screwdriver: 1 pc. each size 1; 2  
VDE PlusMinus PZ slot-head screwdriver: 1 pc. each size 1; 2  
Voltage tester up to 250 V: 1 pc. size 3  
VDE bit magazine holder LiftUp mixed, slot-head; PH; PZ: 7-piece  
VDE TriCut installation pliers: 1 pc.  
VDE BiCut high performance side cutter: 1 pc.  
VDE combination pliers: 1 pc. size 180 mm  
VDE side cutters: 1 pc. size 180 mm  
VDE snipe nose pliers, straight: 1 pc. size 200 mm  
VDE snipe nose pliers, angled: 1 pc. size 200 mm  
VDE water pump pliers: 1 pc. size 250 mm  
Voltage detector, 230 – 1000 V AC: 1 pc.  
Automatic wire stripping tool: 1 pc. each size 0.2 – 6.0 mm<sup>2</sup>  
Crimping tool for terminal sleeves: 1 pc. each size 0.14 – 14 mm<sup>2</sup>  
Cable stripping knife: 1 pc. size 4 – 28 mm  
Precision diagonal side cutters: 1 pc. size 125 mm  
Bit set mixed, slot-head; PH; PZ; for Torx ®: 1 pc., 31-piece  
Hexagon ball point key L-wrench set: 9 pieces (size 1.5 – 10 mm)  
Screwdriver, slot-head: 1 pc. size 12  
Control panel key: 1 pc.  
Plastic folding rule: 1 pc.  
Spirit level, ABS plastic: 1 pc. size 200 mm

**Note:****Supplied loose.**

IP Index of Protection: IP 67  
Length: 510 mm  
Width: 419 mm

Height: 215 mm

---

## Technical description

Width	419 mm
Length	510 mm
Height	215 mm
IP Index of Protection	IP 67
Number of pieces	80